

Choose from an exceptional line of technologies and value-added solutions for your lab!

Biological Safety Cabinets

Ultra-Low Temperature Freezers

High Performance Lab Refrigerators and Freezers

Wireless Monitoring Systems

LN₂ Cryogenic Storage

Microbiological Incubators

CO₂ Incubators

DNA Vacuum Concentrators

Orbital Shakers

Water Purification Systems

Centrifuges and Rotors

Cryogenic Tubes

Microplates

Bath Circulators

Peristaltic Pump Systems

Water Analysis Meters

22

great offers

on leading Thermo Scientific products



Thermo
SCIENTIFIC

An exceptional line of technologies and laboratory solutions

Our commitment: to help you attain the maximum value from our high-quality laboratory solutions. Every Thermo Scientific™ product is backed by our worldwide customer support and service. We are always ready to help you gain the maximum advantages from our high-quality laboratory solutions.

Thermo Scientific products include:

- 1 1300 Series A2 Biological Safety Cabinets
- 2 Herasafe™ KS Biological Safety Cabinets
- 3 Revco™ UxF Ultra-Low Temperature Freezers
- 4 Revco High Performance Lab Refrigerators and Freezers
- 5 Forma™ 88000 Series and 900 Series Double Door Ultra-Low Temperature Freezers
- 6 Smart-View™ Wireless Monitoring Systems
- 7 CryoPlus LN₂ Cryogenic Storage
- 8 Locator™ Plus LN₂ Cryogenic Storage
- 9 Orion Star A™ Meters
- 10 Orion™ VERSA STAR™ Meters
- 11 Heratherm™ Advanced and Advanced Protocol Security Microbiological Incubators
- 12 Heracell™ 150i CO₂ Incubators
- 13 Savant™ DNA 120 SpeedVac Concentrators
- 14 MaxQ™ Orbital Shakers
- 15 Barnstead™ GenPure™ xCAD Plus Water Purification Systems
- 16 Sorvall™ Legend™ Micro 21 Microcentrifuges
- 17 Sorvall ST 8 Small Benchtop Centrifuges
- 18 Sorvall Legend and ST General Purpose Centrifuges
- 19 ARCTIC 12 Liter Refrigerated/Heated Bath Circulator
- 20 FH Series Peristaltic Pump Systems
- 21 Nalgene™ Cryogenic Tubes
- 22 Nunc™ Edge™ Plate and Optical Bottom Plates

▶ plus...

Earn points from your equipment purchases to receive popular consumables, small bench equipment or accessories

Fisher Scientific is now exclusively offering Thermo Scientific Lab Rewards on our flagship products. It has never been easier to reward yourself when you purchase laboratory equipment.

Visit fishersci.com/labrewards to get started.

Thermo Scientific 1300 Series A2 Biological Safety Cabinets

Safety, energy efficiency, and value for today's laboratory

- SmartFlow™ provides real-time compensation and balancing of airflow, ensuring protection everyday
- SmartPort™ allows easy and safe side routing of tubing and cables
- SmartPromise – 5-year limited warranty on parts and labor*

Packaged Savings

A 1300 A2 series biosafety cabinet package includes stand, armrests, and timed UV light with choice of sizes, interior walls, and sash working height

► plus

Choose a storage shelf or serological pipet storage



1

Thermo Scientific Herasafe KS Biological Safety Cabinet

Outstanding protection, comfort and performance for advanced applications

- Motorized frameless window sash ensures safe sash height at the push of a button
- Transparent side-glass windows maximize light and visibility
- System is designed to illuminate entire work area without shadows

Packaged Savings

Package includes a Herasafe KS biosafety cabinet and an Ergolign saddle stool with exclusive seat design to reduce back strain and fatigue. See the ordering information for purchasing and online redemption instructions.



2



**Subject to the terms and conditions of the standard limited warranty found in the product literature and in Thermo Fisher Scientific's Standard Terms and Conditions of Sale, available at www.thermoscientific.com*



Thermo Scientific Revco UxF Ultra-Low Temperature Freezers

Performance

Outstanding BTU (British Thermal Unit) reserve, leading to fast door opening recovery

Safety and Security

Innovative touch-screen featuring 24/7 health monitor, event log and access settings

Capacity

Innovative design allows for up to 30% MORE storage area per footprint compared to previous models

Packaged Savings

When you purchase a Revco UxF ultra-low temperature (ULT) freezer using one of the six packages below

- 1] ULT and 2 shelves of racks
- 2] ULT, LN₂ back-up system and 2 shelves of racks
- 3] ULT, CO₂ back-up system and 2 shelves of racks
- 4] ULT, HID access card lock and 2 shelves of racks
- 5] ULT, with 5-year "bumper to bumper" parts and labor limited warranty**
- 6] ULT, with 2 shelves of racks and Thermo Scientific™ VisionTracker™ inventory tracking database software

SAVE ENERGY!

Revco UxF consumes approximately **15% less energy** when using the Energy Savings mode.*

**Compared to high performance mode.*

***Subject to the terms and conditions of the standard limited warranty found in the product literature and in Thermo Fisher Scientific's Standard Terms and Conditions of Sale, available at www.thermoscientific.com*



3

Thermo Scientific Revco High Performance Lab Refrigerators and Freezers

Peace of mind

Advanced microprocessor-controlled set points for precise temperature regulation

Temperature uniformity

Directional airflow for uniform temperature at all points

Dependability

Key-operated alarms, set point security and non-invasive defrost provide optimal sample security and safety

Packaged Savings

Take advantage of one of our special packaged offers below for your cold storage needs

- 1] High performance refrigerator and 5.6 cu. ft. undercounter refrigerator
- 2] High performance refrigerator and 5.6 cu. ft. undercounter freezer
- 3] High performance freezer and 5.6 cu. ft. undercounter refrigerator
- 4] High performance freezer and 5.6 cu. ft. undercounter freezer

4



Thermo Scientific Forma 88000 Series and 900 Series Double Door Ultra-Low Temperature Freezers

Performance

Designed for maximum heat removal that provides outstanding cooling and temperature recovery after door openings

Sample protection

Vacuum panels combined with water-blown foam and the 4x7 door gasket provide high insulating "R" factor

Versatility

Choose from five new capacities in the 88000 Series or unique double-door in the 900 Series

Packaged Savings


When you purchase Forma ULT's by using one of the special-priced packages below

- 1] 88000 Series ULT and 2 shelves of racks
- 2] 88000 Series ULT, with 5-year "bumper to bumper" limited parts and labor warranty*
- 3] 900 Series double door, 17 cu. ft. or larger and 2 shelves of racks



*Subject to the terms and conditions of the standard limited warranty found in the product literature and in Thermo Fisher Scientific's Standard Terms and Conditions of Sale, available at www.thermoscientific.com

5



Thermo Scientific Smart-Vue Wireless Monitoring Solution

Obsessive is smart

- Designed to ensure the protection of valuable samples
- Delivers continuous monitoring, secure data logging and automatic audit trails required for regulatory compliance
- Instant wireless notification in the event sample integrity is threatened

Packaged Savings

When you purchase the special priced Smart-Vue wireless monitoring ULT Kit below

- 1 USB Receiver
- 1 ULT Smart-Vue Module
- Smart-Vue 1.0 Software

6

Thermo Scientific CryoPlus LN₂ Storage Systems

Selection

Four sizes to meet your storage capacity needs

Versatility

Liquid or vapor phase storage capabilities

Easy-To-Use

Auto-fill for convenience and visual identification of LN₂ levels

Hot Gas Bypass

Protects samples by diverting warm LN₂ gas from the fill hose, to the atmosphere, at the beginning of a filling cycle

Packaged Savings

On a factory installed hot gas bypass when you purchase a CryoPlus LN₂ storage system



7

Thermo Scientific Locator Plus LN₂ Cryogenic Storage

Versatile

Available in four sizes, suited for both manual and computerized inventory record-keeping methods – **capacities up to 6,000 vials!**

Convenient

Unique hanging rack and gridded box design allow for vial inventory tracking and easy sample retrieval

Cost-effective

Vacuum insulation minimizes liquid nitrogen evaporation and reduces operating costs

Packaged Savings

When you purchase a Locator Plus LN₂ storage system using one of the following packages

- 1] Locator Plus and wheeled cart (dolly)
- 2] Locator Plus and level monitor



8

SAVE ENERGY!

LN₂ design **reduces** the need for power consumption.



Thermo Scientific Orion VERSA STAR and Star A Meters

The meter you need today with the versatility to expand tomorrow, VERSA STAR meters include four channels that can be configured in any combination with an assortment of module options.

Module options:

- pH/Temperature
- pH/ISE/Temperature
- pH with LogR Temperature
- Conductivity Temperature
- Dissolved Oxygen/Temperature

Special Offer

- 1] **Packaged savings** when you purchase a new Orion VERSA STAR meter with an additional module
- 2] Trade in your old benchtop meter (any meter, any brand) and **save 25%** on your purchase of a new Orion STAR A or VERSA STAR meter! See ordering information for more information.

9

10



Thermo Scientific Heratherm Advanced Protocol and Advanced Protocol Security Microbiological Incubators

Surround your samples with some certainty

- Unique “dual convection” airflow technology for versatility of application*
- Certified 140°C decontamination cycle (on advanced protocol security model only)
- Small external footprint to conserve valuable laboratory space
- Stainless steel interior for easy cleaning
- Available in a range of sizes to fit your applications – 18 L, 60 L, 100 L, 180 L, 400 L and 750 L

Packaged Savings

When you purchase a qualifying Heratherm Advanced Protocol or Advanced Protocol Security incubator with a Heratherm IMC-18 compact incubator.

* Dual convection technology not available on 400 L and 750 L models



11

Thermo Scientific Heracell 150i CO₂ Incubators

Discovery thrives in a culture of confidence

- Proven reliability, exceptional contamination prevention and optimal growing conditions
- High-temperature decontamination function that eliminates the need for autoclaving and handling components
- Innovative features like 100% pure copper interior, iCAN touchscreen, and rapid response humidity system

Packaged Savings

Culture with complete confidence with Heracell CO₂ incubators.

12





Thermo Scientific Savant DNA120 SpeedVac Concentrators

Consistent performance

Designed to ensure drying time and reproducible results

Simplicity

A single program is all you need to support your DNA/RNA application

Sample protection

Option of drying at ambient temperatures or very low heat to ensure maximum sample protection

Packaged Savings

When you purchase any SavantDNA SpeedVac. Package includes a RD2MP rotor with two shallow-well microplate carriers.

13

Thermo Scientific MaxQ Orbital Shakers

Reliability

Our triple eccentric drive mechanism allows continuous 24-hour operation and ensures smooth and uniform stirring of large and uneven loads

Simplicity

Precise adjustment of temperature, speed and time with all three parameters shown simultaneously on individual control displays to prevent the risk of error when establishing run conditions

Flexibility

Bench-top, floor and stackable models are available, fully equipped with incubation, refrigeration and water bath options to accommodate various applications and budgets

Packaged Savings

When you purchase a MaxQ shaker listed in this brochure.

Package includes a platform and a clamp starter kit. Kit includes the following: Erlenmeyer flask clamps (2 x 125 mL, 4 x 250 mL, 4 x 500 mL, 2 x 1 L and 2 x 2 L) and a microwell plate clamp.



14

Thermo Scientific Barnstead GenPure xCAD Plus Water Purification Systems

Get more with your lab water system! **Pure and Simple.**

Barnstead GenPure xCAD Plus water systems offer innovative features that allow you to focus on your science:

- Free up space with flexible mounting options. Place unit on the bench, under counter or on the wall and choose bench or wall mount for remote dispenser(s).
- Simultaneously dispense water from up to three work stations with additional remote dispensers.
- Set your desired volume for hands-free, automatic dispensing.
- Easily replace consumables with quick connect cartridges.
- Protect your valuable experiments and consumables with integrated feed water monitoring.

Packaged Savings

When you purchase a GenPure xCAD Plus water purification system. Package includes Barnstead GenPure xCAD Plus water system, one xCAD remote dispenser, feed water pressure regulator, wall mounting bracket, ultrapure polishing cartridge, sterile final filter, UV lamp, and optional ultrafilter and/or TOC monitor (on applicable units).

**Incoming feed water quality can vary, resulting in the need for additional pretreatment before the system. We recommend using the Thermo Scientific™ H₂O Select™ program to validate your feed water quality.*



Sample Package	Consumables List Price	Thermo Scientific Package
GenPure xCAD Plus UV/UF-TOC	N/A	<p>Savings you can see!</p> <p>Package includes everything needed to make Type 1 water the day you receive your system.*</p>
Wall Mounting Bracket	N/A	
Pressure Regulating Valve	N/A	
xCAD Remote Dispenser	N/A	
UV Lamp	\$375.57	
Internal Ultrafilter (2 yrs.)	\$880.05	
Ultrapure Polishing Cartridge	\$647.60	
0.2 Micron Final Filter	\$194.89	
<p>Over \$2,000 in Consumables Included in Your Package!</p>		

Thermo Scientific Sorvall Legend Micro 21 Microcentrifuges

High productivity

Generous capacity holds 36 x 0.5 mL microtubes, 24 x 2 mL tubes or 8 x 8 PCR strips

Safety and convenience

Thermo Scientific™ ClickSeal™ biocontainment lid “clicks” to indicate proper sealing

Packaged Savings

Order one of our special packages including:

- 1] Sorvall Legend Micro 21 or 21R microcentrifuge with 24-place rotor and ClickSeal biocontainment lid and dual row rotor for application versatility
- 2] Sorvall Legend Micro 21 or 21R microcentrifuge with 24-place rotor and ClickSeal biocontainment lid at the price of a Sorvall Legend Micro 17 or 17R microcentrifuge
- 3] Purchase a Sorvall Legend Micro 21 or 21R promotional package in 1 or 2 above and a Thermo Scientific™ F1-ClipTip™ pipetting system promo package and receive receive 3 cases of ClipTip pipette tips with rack

► plus

With any microcentrifuge package, you can extend the standard limited warranty* by an additional two years. Redemption required.

16

*Subject to the terms and conditions of Thermo Fisher Scientific's standard limited warranty, available at www.thermoscientific.com/micro-warranty

Thermo Scientific Sorvall ST 8 Small Benchtop Centrifuges

Fits in.

With its compact footprint, the Sorvall ST 8 small benchtop centrifuge is sure to suit your space, and your processes and protocols, too.

Stands-out.

With the following innovative Thermo Scientific™ technologies:

- **Auto-Lock™ rotor exchange:** Secure push-button application versatility and cleaning convenience
- **ClickSeal™ biocontainment lids:** One-handed, certified¹ sample protection
- **Maximized capacity:** From 8 x 50 mL conical tubes to 24 x 5/7 mL blood tubes, and from microplates and microtubes

Packaged Savings

On complete centrifuge packages designed to meet your application needs: blood processing, cell culture and microplate processing.



17

¹Biocontainment certification by Public Health England, Porton Down, UK.

Thermo Scientific Sorvall Legend and ST General Purpose Centrifuges

More samples

- 4 L capacity in a traditional 3 L footprint with Thermo Scientific™ TX-1000 rotor packages
- Maximized capacity up to 40 x 50 mL conical tubes and 6 x 250 mL bottles on the bench, plus Thermo Scientific™ Auto-Lock™ rotor exchange for system versatility

More speed

High RPM/RCF with both swinging bucket and fixed angle configurations, including Thermo Scientific™ Fiberlite™ carbon fiber rotors

Packaged Savings

Limited time offer on packages designed around you and your applications — including Sorvall general purpose centrifuges, rotors and accessories.

► plus

- Five-year centrifuge limited warranty*
- One-handed certified¹ Thermo Scientific™ ClickSeal™ biocontainment lids
- 15-year Fiberlite rotor warranty*



Thermo Scientific ARCTIC 12 liter Refrigerated/Heated Bath Circulators

Versatile across performance levels

Ideal for laboratory applications that require a bath work space and/or external circulation. Designed to meet your temperature control needs with advanced, configurable solutions, choose from five different controllers to best meet your application needs.

- Temperature Range: -25°C to +200°C (depending on control head selected)
- Cooling Capacity: 500 Watts at 20°C

Key features:

- Drain port at the front for operator convenience
- For less demanding applications, power consumption can be lowered by utilizing the energy savings mode
- Controller can be turned 90° for easier viewing

Packaged Savings

When you purchase an ARCTIC 12 liter bath circulator and receive one of the two accessories below

- 1]** Insulated plumbing package for external circulation to your application. The unit comes standard with external circulation fittings; simply attach the plumbing package and you're ready to go.
- 2]** Trolley with casters: This accessory makes moving the bath circulator around the laboratory a breeze!



18

¹Biocontainment certification by Public Health England, Porton Down, UK.

*Subject to the terms and conditions of Thermo Fisher Scientific's standard limited warranty, available at www.thermoscientific.com/spinitwarranty

19



Thermo Scientific FH100 and FH100D Peristaltic Pump Systems

Pump, dispense and fill – all with one unit

- Ideal for wide variety of laboratory applications from sample preparation, cell culture, bio-processing to dispensing
- Broad flow range capability – from 0.5 to 4,000 mL/min
- Contamination free pumping - fluids only contact tubing material
- Change tubing in less than 30 seconds with rapid loading pump head

Packaged Savings

Purchase any FH100 or FH100D peristaltic pump system with a FH120DH dispensing handle

20



Thermo Scientific Nalgene Cryogenic Tubes

Nalgene cryogenic storage tubes protect samples with secure sealing, virgin class VI resins and sterility assurance level of 10^{-6} .

- Tubes designed for one-handed capping and decapping
- Large writing area and graduations for easy sample identification
- Available with linear barcodes for secure sample traceability
- Compatible with Thermo Scientific ID Scribe Tube Identifier to ensure clear sample identification

Packaged Savings

Purchase two cases of Nalgene Cryogenic tubes with a third case

Limit two promotional cases per lab.

21



Thermo Scientific Nunc Microplates

The Nunc Edge plate and optical bottom plates are ideal for cell culture and microscopic imaging applications.

The Edge plate perimeter moat design eliminates evaporation in lengthy incubations

Optical bottom plates are optimized for fluorescence and luminescence in cell culture and microscopic applications

Packaged Savings

Purchase two cases of any Thermo Scientific Nunc Plate with a third case and a Microplate Storage Rack (Cat. No. 12-566-191)

Great for chest and upright mechanical freezers or incubators.

Limit three promotional cases and one promotional rack per lab.

22

act now!

Order any products listed by contacting Fisher Scientific at 1-800-766-7000.

After your purchase, visit www.thermoscientific.com/fisheroffers for redemption instructions and additional details.

Proof of purchase required. Products may be shipped separately from order when applicable.

1

Thermo Scientific 1300 A2 Biological Safety Cabinet

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13-261-340	1300 Series A2 Biological Safety Cabinet with coated interior walls and 8-inch window working height; 3 ft.	1340	Package includes manual adjustable stand, factory-installed UV light, and one set of armrests
13-261-314	1300 Series A2 Biological Safety Cabinet with coated interior walls and 8-inch window working height; 4 ft.	1395	
13-261-344	1300 Series A2 Biological Safety Cabinet with coated interior walls and 8-inch window working height; 5 ft.	1351	
13-261-315	1300 Series A2 Biological Safety Cabinet with coated interior walls and 8-inch window working height; 6 ft.	1397	
13-261-342	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 8-inch window working height; 3 ft.	1342	
13-261-312	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 8-inch window working height; 4 ft.	1335	
13-261-346	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 8-inch window working height; 5 ft.	1353	
13-261-313	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 8-inch window working height; 6 ft.	1337	
13-261-332	1300 Series A2 Biological Safety Cabinet with coated interior walls and 10-inch window working height; 3 ft.	1321	
13-261-304	1300 Series A2 Biological Safety Cabinet with coated interior walls and 10-inch window working height; 4 ft.	1385	
13-261-336	1300 Series A2 Biological Safety Cabinet with coated interior walls and 10-inch window working height; 5 ft.	1369	
13-261-306	1300 Series A2 Biological Safety Cabinet with coated interior walls and 10-inch window working height; 6 ft.	1387	
13-261-334	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 10-inch window working height; 3 ft.	1323	
13-261-222	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 10-inch window working height; 4 ft.	1375	
13-261-338	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 10-inch window working height; 5 ft.	1371	
13-261-223	1300 Series A2 Biological Safety Cabinet with stainless steel interior walls and 10-inch window working height; 6 ft.	1377	

► Please order using these special Fisher Scientific catalog numbers. Purchase order will be provided at time of order. To redeem your storage option base stand shelf (Cat. No. 13-261-361) or your serological pipet storage (Cat. No. 13-715), please visit www.thermoscientific.com/fisheroffers

2

Thermo Scientific Herasafe KS Biological Safety Cabinet

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13-998-000	Thermo Scientific Herasafe KS Biological Safety Cabinet Herasafe KS9, 120V 3-ft. model, with armrest, dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027116	Ergolign saddle stool
13-998-001	Herasafe KS12, 120V 4-ft. model, with armrest, dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027117	
13-998-002	Herasafe KS15, 120V 5-ft. model, with armrest, dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027118	
13-998-003	Herasafe KS18, 120V 6-ft. model, with armrest, dual beam UV (51900642), single piece indented tabletop (50073670) and battery backup (51900786)	51027120	

► Please order using these special Fisher Scientific catalog numbers. Purchase order will be provided at time of order. To redeem your saddle stool (Cat. No. ERGCR2330), please visit www.thermoscientific.com/fisheroffers

Thermo Scientific Revco UxF Series Upright Ultra-Low Temperature Freezers

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13-987-078	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V	UxF70086DRAK	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-075	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V	UxF60086ARAK	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-076	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V	UxF60086DRAK	
13-987-072	-86°C UxF500, 500 Box, 24 cu. ft., 115V	UxF50086ARAK	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-073	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V	UxF50086DRAK	
13-987-069	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V	UxF40086ARAK	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)
13-987-070	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V	UxF40086DRAK	
13-987-066	-86°C UxF300, 300 Box, 14.8 cu. ft., 115V	UxF30086ARAK	6 Sliding Drawer Racks (2 Kits, No. RSK300SD5)
13-987-067	-86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V	UxF30086DRAK	

► Please order using these special Fisher Scientific catalog numbers. No redemption necessary; racks ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

Thermo Scientific Revco UxF Series Upright Ultra-Low Temperature Freezers With LN₂ Back-Up

Fisher Scientific Cat. No.	Description	ThermoScientific Model No.	Includes
13-987-139	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V, LN ₂ back-up	UxF70086DRAKLN	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-136	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V, LN ₂ back-up	UxF60086ARAKLN	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-137	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V, LN ₂ back-up	UxF60086DRAKLN	
13-987-133	-86°C UxF500, 500 Box, 24 cu. ft., 115V, LN ₂ back-up	UxF50086ARAKLN	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-134	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V, LN ₂ back-up	UxF50086DRAKLN	
13-987-130	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V, LN ₂ back-up	UxF40086ARAKLN	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)
13-987-131	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V, LN ₂ back-up	UxF40086DRAKLN	

► Please order using these special Fisher Scientific catalog numbers. No redemption necessary; racks and factory installed LN₂ back-up ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

Thermo Scientific Revco UxF Series Upright Ultra-Low Temperature Freezers With CO₂ Back-Up

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13-987-150	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V, CO ₂ back-up	UxF70086DRAKCO	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-147	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V, CO ₂ back-up	UxF60086ARAKCO	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-148	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V, CO ₂ back-up	UxF60086DRAKCO	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-144	-86°C UxF500, 500 Box, 24 cu. ft., 115V, CO ₂ back-up	UxF50086ARAKCO	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-145	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V, CO ₂ back-up	UxF50086DRAKCO	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-141	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V, CO ₂ back-up	UxF40086ARAKCO	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)
13-987-142	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V, CO ₂ back-up	UxF40086DRAKCO	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)

► Please order using these special Fisher Scientific catalog numbers. No redemption necessary; racks and factory installed LN₂ back-up ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

Thermo Scientific Revco UxF Series Upright Ultra-Low Temperature Freezers With HID Access Card Lock, and two shelves of inventory racks for 2" boxes

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13-987-197	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V, HID access card lock	UxF70086DRAKHID	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5)
13-987-195	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V, HID access card lock	UxF60086ARAKHID	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5)
13-987-194	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V, HID access card lock	UxF60086DRAKHID	
13-987-192	-86°C UxF500, 500 Box, 24 cu. ft., 115V, HID access card lock	UxF50086ARAKHID	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5)
13-987-191	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V, HID access card lock	UxF50086DRAKHID	
13-987-189	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V, HID access card lock	UxF40086ARAKHID	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5)
13-987-188	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V, HID access card lock	UxF40086DRAKHID	
13-987-186	-86°C UxF300, 300 Box, 14.8 cu. ft., 115V, HID access card lock	UxF30086ARAKHID	6 Sliding Drawer Racks (2 Kits, No. RSK300SD5)
13-987-185	-86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V, HID access card lock	UxF30086DRAKHID	

► Please order using these special Fisher Scientific catalog numbers. No redemption necessary; racks and factory installed HID access card lock ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

Thermo Scientific Revco UxF Series Upright Ultra-Low Temperature Freezers With 5-Year Limited P&L Warranty

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13-990-609	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V, 5 year parts and labor warranty	UxF70086D5BB	5-Year Parts and Labor Warranty
13-990-607	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V, 5 year parts and labor warranty	UxF60086A5BB	
13-990-608	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V, 5 year parts and labor warranty	UxF60086D5BB	
13-990-614	-86°C UxF500, 500 Box, 24 cu. ft., 115V, 5 year parts and labor warranty	UxF50086A5BB	
13-990-606	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V, 5 year parts and labor warranty	UxF50086D5BB	
13-990-612	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V, 5 year parts and labor warranty	UxF40086A5BB	
13-990-613	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V, 5 year parts and labor warranty	UxF40086D5BB	
13-990-610	86°C UxF300, 300 Box, 14.8 cu. ft., 115V, 5 year parts and labor warranty	UxF30086A5BB	
13-990-611	-86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V, 5 year parts and labor warranty	UxF30086D5BB	

► Please order using these special Fisher Scientific catalog numbers. Promotional warranty extends the standard limited warranty to a total of 5 years. No redemption necessary; warranty is registered automatically at the factory when shipped. See www.thermoscientific.com for details on standard limited warranty.

Thermo Scientific Revco UxF Series Upright Ultra-Low Temperature Freezers and VisionTracker Software

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13-880-208	-86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V	UxF70086DRAKVT	14 Sliding Drawer Racks (2 Kits, No. RSK700SD5) and VisionTracker Software
13-880-203	-86°C UxF600, 600 Box, 28.6 cu. ft., 115V	UxF60086ARAKVT	12 Sliding Drawer Racks (2 Kits, No. RSK600SD5) and VisionTracker Software
13-880-207	-86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V	UxF60086DRAKVT	10 Sliding Drawer Racks (2 Kits, No. RSK500SD5) and VisionTracker Software
13-880-202	-86°C UxF500, 500 Box, 24 cu. ft., 115V	UxF50086ARAKVT	8 Sliding Drawer Racks (2 Kits, No. RSK400SD5) and VisionTracker Software
13-880-206	-86°C UxF500, 500 Box, 24 cu. ft., 208-230V	UxF50086DRAKVT	6 Sliding Drawer Racks (2 Kits, No. RSK300SD5) and VisionTracker Software
13-880-201	-86°C UxF400, 400 Box, 19.3 cu. ft., 115V	UxF40086ARAKVT	
13-880-205	-86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V	UxF40086DRAKVT	
13-880-200	-86°C UxF300, 300 Box, 14.8 cu. ft., 115V	UxF30086ARAKVT	
13-880-204	-86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V	UxF30086DRAKVT	

► Please order using these special Fisher Scientific catalog numbers. No redemption necessary; racks and VisionTracker Software ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers. Software versions subject to change without notice.

Thermo Scientific Revco High-Performance Lab Refrigerators and Freezers

Fisher Scientific Cat. No.	Description	Includes
REL2304REF	23.3 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	5.6 cu. ft.
REL3004REF	29.2 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	Thermo Scientific undercounter refrigerator (Model 3751-DB)
REL4504REF	45.8 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	
REL2304FRZ	23.3 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	5.0 cu. ft.
REL3004FRZ	29.2 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	Thermo Scientific undercounter freezer (Model 3752-DB)
REL4504FRZ	45.8 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V	
UGL2320REF	23.3 cu. ft. Thermo Scientific Revco HP manual defrost -20°C freezer, 115V	5.6 cu. ft.
ULT2330REF	23.3 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	Thermo Scientific undercounter refrigerator (Model 3751-DB)
ULT3030REF	29.2 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	
UGL2320FRZ	23.3 cu. ft. Thermo Scientific Revco HP manual defrost -20°C freezer, 115V	5.0 cu. ft.
ULT2330FRZ	23.3 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	Thermo Scientific undercounter freezer (Model 3752-DB)
ULT3030FRZ	29.2 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V	

► Please order using these special Fisher Scientific catalog numbers. No redemption necessary; undercounter refrigerator or freezer ships automatically with the high-performance lab refrigerator or freezer.

Thermo Scientific Forma 88000 Series Upright Ultra-Low Temperature Freezers			
Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
88700D5BB	-86°C 88700, 700 Box, 33.3 cu. ft., 208-230V	88700D5BB	5-Year Limited Parts and Labor Warranty
88600A5BB	-86°C 88600, 600 Box, 28.6 cu. ft., 115V	88600A5BB	
88600D5BB	-86°C 88600, 600 Box, 28.6 cu. ft., 208-230V	88600D5BB	
88500A5BB	-86°C 88500, 500 Box, 24 cu. ft., 115V	88500A5BB	
88500D5BB	-86°C 88500, 500 Box, 24 cu. ft., 208-230V	88500D5BB	
88400A5BB	-86°C 88400, 400 Box, 19.3 cu. ft., 115V	88400A5BB	
88400D5BB	-86°C 88400, 400 Box, 19.3 cu. ft., 208-230V	88400D5BB	
88300A5BB	-86°C 88300, 300 Box, 14.8 cu. ft., 115V	88300A5BB	
88300D5BB	-86°C 88300, 300 Box, 14.8 cu. ft., 208-230V	88300D5BB	

► Please order using these special Fisher Scientific catalog numbers. Promotional warranty extends the standard limited warranty to a total of 5 years. No redemption necessary; warranty is registered automatically at the factory when shipped. See www.thermoscientific.com for details on standard limited warranty.

Thermo Scientific Forma 88000 Series Upright Ultra-Low Temperature Freezers			
Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
993RAK	-86°C Forma Double-Door 993, holds 288- 2" boxes, 17.3 cu., ft., 120V	993RAK	8 Sliding Drawer Racks (2 Kits, No. RSK17SD4)
988RAK	-86°C Forma Double-Door 988, holds 288- 2" boxes, 17.3 cu., ft., 208-230V	988RAK	
990RAK	-86°C Forma Double-Door 990, holds 360- 2" boxes, 23 cu. ft., 120V	990RAK	10 Sliding Drawer Racks (2 Kits, No. RSK23SD4)
989RAK	-86°C Forma Double-Door 989, holds 360- 2" boxes, 23 cu. ft., 208-230V	989RAK	
88300ARAK	-86°C Forma 88300, holds 300- 2" boxes, 14.8 cu., ft., 120V	88300ARAK	6 Sliding Drawer Racks (2 Kits, No. RSK300SD4)
88300DRAK	-86°C Forma 88300, holds 300- 2" boxes, 14.8 cu., ft., 208-230V	88300DRAK	
88400ARAK	-86°C Forma 88400, holds 400- 2" boxes, 19.3 cu., ft., 120V	88400ARAK	8 Sliding Drawer Racks (2 Kits, No. RSK400SD4)
88400DRAK	-86°C Forma 88400, holds 400- 2" boxes, 19.3 cu., ft., 208-230V	88400DRAK	
88500ARAK	-86°C Forma 88500, holds 500- 2" boxes, 24 cu., ft., 120V	88500ARAK	10 Sliding Drawer Racks (2 Kits, No. RSK500SD4)
88500DRAK	-86°C Forma 88500, holds 500- 2" boxes, 24 cu., ft., 208-230V	88500DRAK	
88600ARAK	-86°C Forma 88600, holds 600- 2" boxes, 28.6 cu. ft., 115V	88600ARAK	12 Sliding Drawer Racks (2 Kits, No. RSK600SD4)
88600DRAK	-86°C Forma 88600, holds 600- 2" boxes, 28.6 cu. ft., 208-230V	88600DRAK	
88700DRAK	-86°C Forma 88700, holds 700- 2" boxes, 33.3 cu. ft., 208-230V	88700DRAK	14 Sliding Drawer Racks (2 Kits, No. RSK700SD4)

► Please order using these special Fisher Scientific catalog numbers. No redemption necessary; racks ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers. Racks for double-door freezer are for bottom-half of freezer.

Thermo Scientific Smart-Vue Wireless Monitoring		
Fisher Scientific Cat. No.	Description	Includes
SV-800-100-KIT	Smart-Vue kit of calibrated wireless modules for ULT freezers, 915 frequency	Client server software, 1 USB receiver and 1 calibrated wireless module with PT100 sensor. Kit designed for first-time users who require both Smart-Vue software and receiver
SV-803-100-KIT	Smart-Vue kit of calibrated wireless modules for refrigerators, 915 frequency	Client server software, 1 USB receiver and 1 calibrated wireless module with digital sensor. Kit designed for first-time users who require both Smart-Vue software and receiver
SV-804-300-KIT	Smart-Vue kit of calibrated wireless modules for 2/3 door refrigerator, 915 frequency	One calibrated wireless module with PT100 sensor 3.5 meters length. Kit designed for first-time users who require both Smart-Vue software and receiver

► Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing and promotional offer. No redemption necessary; software, module and receiver will ship automatically with your order. Software versions subject to change without notice.

act now!

Order any products listed by contacting Fisher Scientific at 1-800-766-7000.

After your purchase, visit

www.thermoscientific.com/fisheroffers for redemption instructions and additional details.

Proof of purchase required.

Products may be shipped separately from order when applicable.

Thermo Scientific CryoPlus LN₂ Cryogenic Storage

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
12-370-410	CryoPlus 1 with Hot Gas Bypass (No.195021)	7400 PROMOHG	Hot Gas Bypass (No.195021)
12-370-411	CryoPlus 2 with Hot Gas Bypass (No.195021)	7402 PROMOHG	Hot Gas Bypass (No.195021)
12-370-412	CryoPlus 3 with Hot Gas Bypass (No.195021)	7404 PROMOHG	Hot Gas Bypass (No.195021)
12-370-413	CryoPlus 4 with Hot Gas Bypass (No.195021)	7406 PROMOHG	Hot Gas Bypass (No.195021)

▶ Please order using these special Fisher Scientific catalog numbers. No redemption necessary. CryoPlus and hot gas bypass automatically ships with order.

Thermo Scientific Locator Plus LN₂ Cryogenic Storage

Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
04-979-258	Locator Jr. Plus with 2-inch box racks and cart	CY50925-70PROMO	Roller cart (model 11-676-2)
04-979-260	Locator 4 Plus with 2-inch box racks and cart	CY50935-70PROMO	Roller cart (model 11-676-66)
04-979-259	Locator 6 Plus with 2-inch box racks and cart	CY50985-70PROMO	Roller cart (model 11-676-2)
04-979-261	Locator 8 Plus with 2-inch box racks and cart	CY50945-70PROMO	Roller cart (model 11-676-2)
04-979-262	Locator Jr. Plus with level monitor/120 V and cart	CY50955-70PROMO	Roller cart (model 11-676-66)
04-979-263	Locator 4 Plus with level monitor/120 V and cart	CY50965-70PROMO	Roller cart (model 11-676-2)
04-979-264	Locator 6 Plus with level monitor/120 V and cart	CY50995-70PROMO	Roller cart (model 11-676-66)
04-979-265	Locator 8 Plus with level monitor/120 V and cart	CY50975-70PROMO	Roller cart (model 11-676-2)
13-687-530	Locator Jr. Plus (71L) with level monitor upgrade	CY50925-70PROML	Level monitor upgrade
13-687-531	Locator 4 Plus (121L) with level monitor upgrade	CY50935-70PROML	
13-687-533	Locator 8 Plus (121L) with level monitor upgrade	CY50945-70PROML	
13-687-532	Locator 6 Plus (184L) with level monitor upgrade	CY50985-70PROML	

▶ Please order using these special Fisher Scientific catalog numbers. No redemption necessary. Rolling cart ships automatically with order.

Thermo Scientific Orion VERSA STAR Meters

Fisher Scientific Cat. No.	Description	Thermo Scientific Cat. No.	Includes
13-645-573	Versa Star Meter with Electrode Stand and pH Module	VSTAR10	Module
13-645-574	Versa Star Meter with Electrode Stand and pH Module Kit, includes 8302BNUMD Thermo Scientific™ Orion™ ROSS™ pH/ATC Triode™ Electrode, Star Meter Stirrer Probe and ROSS pH Buffer Kit	VSTAR12	
13-645-575	Versa Star Meter with Electrode Stand and Conductivity Module	VSTAR20	
13-645-576	Versa Star Meter with Electrode Stand and Conductivity Module Kit, includes 013005MD DuraProbe™ Conductivity Probe and 1413µS Conductivity Standard	VSTAR22	
13-645-577	Versa Star Meter with Electrode Stand and RDO/DO Module	VSTAR30	
13-645-578	Versa Star Meter with Electrode Stand and RDO/DO Module Kit, includes 083005MD Polarographic DO Probe, Probe Maintenance Kit and BOD Adapter Funnel with Stirrer	VSTAR32	
13-645-579	Versa Star Meter with Electrode Stand and pH/ISE Module	VSTAR40A	
13-645-580	Versa Star Meter with Electrode Stand and pH/ISE Module Kit, includes 8102BNUWP Thermo Scientific™ Orion™ ROSS Ultra™ pH Electrode, Stainless Steel ATC Probe, Star Meter Stirrer Probe and ROSS pH Buffer Kit	VSTAR40A2	
13-645-581	Versa Star Meter with Electrode Stand and 2 pH/ISE Modules	VSTAR40B	
13-645-582	Versa Star Meter with 2 Electrode Stands and 2 pH/ISE Modules Kit, includes 8102BNUWP ROSS Ultra pH Electrode, Stainless Steel ATC Probe, Star Meter Stirrer Probe and ROSS pH Buffer Kit	VSTAR40B2	
13-645-583	Versa Star Meter with Electrode Stand and pH, Conductivity Modules	VSTAR50	
13-645-584	Versa Star Meter with Electrode Stand and pH, Conductivity Modules Kit, includes 8157BNUMD ROSS pH/ATC Triode Electrode, 013005MD DuraProbe Conductivity Probe, ROSS pH Buffer Kit and 1413µS Conductivity Standard	VSTAR52	
13-645-585	Versa Star Meter with Electrode Stand and pH/LogR Module, includes Stainless Steel ATC Probe	VSTAR80	
13-645-586	Versa Star Meter with Electrode Stand and pH/LogR Module Kit, includes 8172BNWP ROSS Sure-Flow pH Electrode, Stainless Steel ATC Probe and ROSS pH Buffer Kit	VSTAR82	
13-645-587	Versa Star Meter with Electrode Stand and pH/ISE, Conductivity, RDO/DO Modules	VSTAR90	
13-645-589	Versa Star Meter with Electrode Stand and 2 pH/ISE, 1 Conductivity, 1 RDO/DO Modules	VSTAR91	
13-645-588	Versa Star Meter with Electrode Stand and pH/ISE, Conductivity, RDO/DO Modules Kit, includes 8157BNUMD ROSS pH/ATC Triode Electrode, 013005MD DuraProbe Conductivity Cell, 083005MD Polarographic DO Probe, Star Meter Stirrer Probe, ROSS pH Buffer Kit, 1413µS Conductivity Standard, DO Probe Maintenance Kit and BOD Adapter Funnel with Stirrer	VSTAR92	
13-645-590	Versa Star Meter with Electrode Stand and 2 pH/ISE, 1 Conductivity, 1 RDO/DO Modules Kit, includes 8157BNUMD ROSS pH/ATC Triode Electrode, 013005MD DuraProbe Conductivity Probe, 083005MD Polarographic DO Probe, Star Meter Stirrer Probe, ROSS pH Buffer Kit, 1413µS Conductivity Standard, DO Probe Maintenance Kit and BOD Adapter Funnel with Stirrer	VSTAR93	

▶ Please order using these Fisher Scientific catalog numbers. Then, go to www.thermoscientific.com/fisheroffers to select your module.

Thermo Scientific Orion Benchtop Meters		
Fisher Scientific Cat. No.	Description	Includes
Versa Star benchtop meters		
13645573P	Versa Star With pH module	<p>1] Purchase an Orion benchtop meter from the list to the left between January 1 and December 31, 2014 using the Fisher Scientific catalog numbers provided.</p> <p>2] Our technical sales representative will contact you for pick-up of your old benchtop meter. This offer cannot be combined with any other offer or discount. Offer valid in North America only.</p> <p>3] We'll dispose of your old meter using Responsible Recycling practices (R2).*</p>
13645574P	Kit, Versa Star, pH	
13645575P	Versa Star With Conductivity module	
13645576P	Kit, Versa Star, Conductivity	
13645577P	Versa Star With RDO/DO module	
13645578P	Kit, Versa Star, RDO/DO	
13645579P	Versa Star With pH/ISE module	
13645580P	Kit, Versa Star, pH/ISE	
13645581P	Versa Star With Two pH/ISE modules	
13645582P	Kit, Versa Star, Two pH/ISE	
13645583P	Versa Star With pH & Conductivity modules	
13645584P	Kit, Versa Star, pH & Conductivity	
13645585P	Versa Star With pH/LogR module	
13645586P	Kit, Versa Star, pH/LogR	
13645587P	Versa Star With pH/ISE,Cond.,RDO/DO modules	
13645589P	Versa Star With Two pH/ISE,Cond.,DO/RDO modules	
13645588P	Kit, Versa Star, pH/ISE/Cond./RDO/DO	
13645590P	Kit, Versa Star, Two pH/ISE,Cond.,DO/RDO	
Star A 100 benchtop meters		
13645501P	Meter, Star A111 pH	
13645503P	Kit, Star A111 pH	
13645507P	Meter, Star A112 Conductivity	
13645509P	Kit, Star A112 Conductivity	
13645513P	Meter, Star A113 DO	
13645515P	Kit, Star A113 DO	
<p>► See detailed steps in the "Includes" column.</p> <p>*Responsible Recycling (R2) - A voluntary standard for ensuring best practices in the recycling of electronics, where used and end-of-life electronic equipment are managed in an environmentally responsible manner, protective of the health and safety of workers and the public.</p>		

Thermo Scientific Orion Benchtop Meters (continued)		
Fisher Scientific Cat. No.	Description	Includes
Star A 200 benchtop meters		
13645519P	Meter, Star A211 pH	<p>1] Purchase an Orion benchtop meter from the list to the left between January 1 and December 31, 2014 using the Fisher Scientific catalog numbers provided.</p> <p>2] Our technical sales representative will contact you for pick-up of your old benchtop meter. This offer cannot be combined with any other offer or discount. Offer valid in North America only.</p> <p>3] We'll dispose of your old meter using Responsible Recycling practices (R2).*</p>
13645521P	Kit, Star A211 pH	
13645525P	Meter, Star A212 Conductivity	
13645527P	Kit, Star A212 Conductivity	
13645528P	Kit, Star A212 Conductivity, Ultra Pure	
13645532P	Meter, Star A213 RDO/DO	
13645534P	Kit, Star A213 RDO/DO	
13645535P	Kit, Star A213 RDO/DO, BOD	
13645539P	Meter, Star A214 pH/ISE	
13645541P	Kit, Star A214 pH/ISE	
13645542P	Kit, Star A214 pH/ISE, Ammonia	
13645543P	Kit, Star A214 pH/ISE, Fluoride	
13645544P	Kit, Star A214 pH/ISE, Sodium	
13645545P	Meter, Star A215 pH/Conductivity	
13645547P	Kit, Star A215 pH/Conductivity	
13645548P	Meter, Star A216 pH/RDO/DO	
13645550P	Kit, Star A216 pH/RDO/DO	
Dual Star benchtop meter		
13642780P	Dual Star Two pH/ISE Channels	
<p>► See detailed steps in the "Includes" column.</p> <p>*Responsible Recycling (R2) - A voluntary standard for ensuring best practices in the recycling of electronics, where used and end-of-life electronic equipment are managed in an environmentally responsible manner, protective of the health and safety of workers and the public.</p>		

Thermo Scientific Heratherm Advanced Protocol Security Microbiological Incubator			
Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
51028111H	180L – Heratherm Advanced Protocol Security Microbiological Incubator 120V; 60Hz	IMH180-S	IMC-18 Heratherm compact incubator – part number 50125590H
51028070H	100L – Heratherm Advanced Protocol Security Microbiological Incubator 120V; 60Hz	IMH100-S	
51028069H	60L – Heratherm Advanced Protocol Security Microbiological Incubator 120V; 60Hz	IMH60-S	
51029323H	Heratherm Advanced Protocol Security Incubator, 400L, mechanical convection, 120VAC; 60HZ	IMH400-S	
51029324H	Heratherm Advanced Protocol Security Incubator, 400L, mechanical convection, stainless steel exterior, 120VAC; 60HZ	IMH400-S SS	
51029335H	Heratherm Advanced Protocol Security Incubator, 750L, mechanical convection, 120VAC; 60HZ	IMH750-S	
51029336H	Heratherm Advanced Protocol Security Incubator, 750L, mechanical convection, stainless steel exterior, 120VAC; 60HZ	IMH750-S SS	
51028066H	60L – Heratherm Advanced Protocol Microbiological Incubator 120V; 60Hz	IMH60	
51028067H	100L – Heratherm Advanced Protocol Microbiological Incubator 120V; 60Hz	IMH100	
51028068H	180L – Heratherm Advanced Protocol Microbiological Incubator 120V; 60Hz	IMH180	

► Please order using these special Fisher Scientific catalog numbers. Purchase order will be provided at time of order. To redeem your incubator, please visit www.thermoscientific.com/fisheroffers.

Thermo Scientific Heracell 150i Incubator			
Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
MPP51026283	Heracell 150i single copper chamber, TCD sensor, ContraCon high temperature decontamination, 120V	51026283	Culture with Confidence at special savings
MPP50116050	Heracell 150i dual-stack copper chambers with roller dolly, TCD sensor, ContraCon, 120V	50116050	

► Please order using these special part numbers. No redemption necessary.

act now!

Order any products listed by contacting Fisher Scientific at 1-800-766-7000.

After your purchase, visit www.thermoscientific.com/fisheroffers for redemption instructions and additional details.

Proof of purchase required. Products may be shipped separately from order when applicable.

Thermo Scientific Savant DNA SpeedVac Concentrator			
Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
20-548-130	Savant DNA SpeedVac (model DNA120-115)	DNA120-115	RD2MP rotor with microplate carriers

▶ Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing and promotional offer. Purchase order will be provided at time of order. To redeem your rotor and carriers, please visit www.thermoscientific.com/fisheroffers

Thermo Scientific MaxQ Orbital Shakers			
Fisher Scientific Cat. No.	Description		Includes
11-676-063	MaxQ 2000 Orbital Small Capacity Open Air Shaker, Analog, 120V		Platform and Clamp Starter Kit
11-676-066	MaxQ 2000 Orbital Small Capacity Open Air Shaker, Digital, 120V		
11-676-064	MaxQ 2506 Reciprocating Small Capacity Open Air Shaker, Analog, 120V		
11-676-065	MaxQ 2508 Dual Action Orbital/Reciprocating Open Air Shaker, Analog, m120V		
11-676-068	MaxQ 3000 Orbital Large Capacity Open Air Shaker, Analog, 120V		
11-676-067	MaxQ 3000 Orbital Large Capacity Open Air Shaker, Digital, 120V		
11-676-069	MaxQ 4450 Orbital Small Bench-Top Incubated Shaker, Analog, 120V		
11-676-071	MaxQ 4450 Orbital Small Bench-Top Incubated Shaker, Digital, 120V		
11-676-072	MaxQ 4450 Orbital Small Bench-Top Incubated Shaker with cooling coil, Digital, 120V		
11-676-073	MaxQ 4000 Orbital Large Bench-Top Incubated Shaker, Analog, 120V		
11-676-074	MaxQ 4000 Orbital Large Bench-Top High Temperature Incubated Shaker, Analog, 120V		
11-676-075	MaxQ 4000 Orbital Large Bench-Top Incubated/Refrigerated Shaker, Analog, 120V		
11-676-076	MaxQ 4000 Orbital Large Bench-Top Incubated Shaker, Digital, 120V		
11-676-077	MaxQ 4000 Orbital Large Bench-Top High Temperature Incubated Shaker, Digital, 120V		
11-676-078	MaxQ 4000 Orbital Large Bench-Top Incubated/Refrigerated Shaker, Digital, 120V		
11-676-079	MaxQ 5000 Orbital Incubated Floor Shaker, Analog, 120V		
11-676-080	MaxQ 5000 Orbital Incubated/Refrigerated Floor Shaker, Analog, 120V		
11-676-081	MaxQ 5000 Orbital Incubated Floor Shaker, Digital, 120V		
11-676-082	MaxQ 5000 Orbital Incubated/Refrigerated Floor Shaker, Digital, 120V		
11-676-083	MaxQ 6000 Orbital Incubated Stackable Shaker, Digital, 120V		
11-676-084	MaxQ 6000 Orbital Incubated/Refrigerated Stackable Shaker, Digital, 120V		
11-676-085	MaxQ 7000 Orbital Water Bath Shaker, Analog, 120V		
11-676-086	MaxQ 7000 Orbital Water Bath Shaker, Digital, 120V		
11-676-087	MaxQ 8000 Orbital Incubated Stackable Shaker, 120V		
11-676-088	MaxQ 8000 Orbital Incubated/Refrigerated Stackable Shaker, 120V		

▶ Please order using these special Scientific numbers. Platform and Clamp Starter Kit automatically ship with order.

Thermo Scientific Barnstead GenPure xCAD Plus Water Purification Systems			
Fisher Scientific Cat. No.	Description	Includes	
WITH BENCHTOP xCAD REMOTE DISPENSER			
10451201PR	GenPure xCAD Plus UV Water System for Analytical Applications	<ul style="list-style-type: none"> • Barnstead GenPure xCAD Plus water system • One xCAD remote dispenser • Feed water pressure regulator • Wall mounting bracket • Ultrapure polishing cartridge • Sterile final filter • UV lamp • Optional ultrafilter and/or TOC monitor (on applicable units) 	
10451204PR	GenPure xCAD Plus UV-TOC Water System for Analytical Applications		
10451203PR	GenPure xCAD Plus UV/UF Water System for Life Science Applications		
10451205PR	GenPure xCAD Plus UV/UF-TOC Water System for Life Science Applications		
WITH WALL-MOUNT xCAD REMOTE DISPENSER			
10451211PR	GenPure xCAD Plus UV Water System for Analytical Applications		
10451209PR	GenPure xCAD Plus UV-TOC Water System for Analytical Applications		
10451208PR	GenPure xCAD Plus UV/UF Water System for Life Science Applications		
10451210PR	GenPure xCAD Plus UV/UF-TOC Water System for Life Science Applications		

▶ Please order using these special Fisher Scientific catalog numbers. No redemption necessary; accessories will ship automatically with your order.

act now!

Order any products listed by contacting Fisher Scientific at 1-800-766-7000.

After your purchase, visit

www.thermoscientific.com/fisheroffers for redemption instructions and additional details.

Proof of purchase required. Products may be shipped separately from order when applicable.

Thermo Scientific Sorvall Legend Micro 21 Microcentrifuges		
Fisher Scientific Cat. No.	Description	Includes
75-772-488	Sorvall Legend Micro 21 Microcentrifuge, 120V	OFFER 1: 24 x 1.5/2.0 mL rotor with ClickSeal biocontainment lid and dual row 18 x 0.5 or 18 x 2.0 mL rotor with screw-on lid
75-772-490	Sorvall Legend Micro 21R Microcentrifuge, 120V	
75-772-436	Sorvall Legend Micro 21 Microcentrifuge, 120V	OFFER 2: 24 x 1.5/2.0 mL rotor with ClickSeal biocontainment lid at price of equivalent Sorvall Legend Micro 17 microcentrifuge
75-772-446	Sorvall Legend Micro 21R Microcentrifuge, 120V	
14-488-039	F1-ClipTip GLP Kit 1	F1-ClipTip 1 to 10 µL single channel pipette, F1-ClipTip 10 to 100 µL single channel pipette, F1-ClipTip 100 to 1000 µL single channel pipette, ClipTip 20 tip rack, 25 mL reservoir, ClipTip 200 tip rack, 25 mL divided reservoir, ClipTip 1000 tip rack, F-Series pitte stand, 100 mL divided reservoir
14-488-040	F1-ClipTip GLP Kit 2	F1-ClipTip 2 to 20 µL single channel pipette, F1-ClipTip 20 to 200 µL single channel pipette, F1-ClipTip 100 to 1000 µL single channel pipette, F1-ClipTip 30 to 300 µL 8-channel pipette, ClipTip 20 tip rack, 25 mL reservoir, ClipTip 200 tip rack, 25 mL divided reservoir, ClipTip 300 tip rack, ClipTip 1000 tip rack, F-Series pitte stand, 100 mL divided reservoir

- ▶ **ONLINE OFFER 3:** Purchase both a Microcentrifuge Promotional PN and a F1-ClipTip GLP KIT above and redeem 3 cases of ClipTip pipette tips. Go to: thermoscientific.com/fisheroffers for redemption instructions.
- ▶ Please order using these special Fisher Scientific catalog numbers. Promotional limited warranty extends the standard limited warranty by an additional 2 years. See www.thermoscientific.com/micro-warranty for details. For F1-ClipTip pipettes, receive a lifetime warranty. Redemption required at www.thermoscientific.com/pipetewarranty.

NEW! Thermo Scientific Sorvall Small Benchtop Centrifuges			
Fisher Scientific Cat. No.	Description	Includes	Package Type
75203637	Sorvall ST 8 Centrifuge, 120V	TX-150 Swinging Bucket Rotor, Round Buckets (4), 4x50 mL Conical Adapters (4), 8x15 mL Conical Adapters (4)	Cell Culture
75200395	Sorvall ST 8 Centrifuge, 120V	TX-150 Swinging Bucket Rotor, Tall Buckets Buckets (4), 8x50 mL Conicals (no adapters necessary), 8x15 mL Conical Adapters (4)	
75200623	Sorvall ST 8 Centrifuge, 120V	M-10 Microplate Rotor (accommodates 2x2 standard or 2x1 deepwell microplates), Unsealed Carriers (2)	Microplate Processing
75205719	Sorvall ST 8 Centrifuge, 120V	TX-150 Swinging Bucket Rotor, Tall Buckets Buckets (4), 8x50 mL Conicals (no adapters necessary), 30x2 MicroClick Rotor	Microtube Processing
75200102	Sorvall ST 8 Centrifuge, 120V	TX-150 Swinging Bucket Rotor, Round Buckets (4), ClickSeal Lids (4), 6x 5/7 mL Blood Collection Adapters (4), 4x15/10 mL Blood Collection Adapters (4)	Clinical
75200596	Sorvall ST 8 Centrifuge, 120V	TX-100 Clinical Swinging Bucket Rotor with Uncovered Carriers, 4x5/7 mL Blood Collection Adapters (4)	
75200496	Sorvall ST 8 Centrifuge, 120V	TX-100S Clinical Swinging Bucket Rotor with Covered Carriers, 2x5/7 mL Collection Adapters (4)	

- ▶ Please order using these Fisher Scientific catalog numbers. Rotors, buckets, and adapters ship automatically with order.

Thermo Scientific Sorvall Legend and Sorvall ST General Purpose Centrifuges (continues >>)			
Fisher Scientific Cat. No.	Description	Includes	Package Type
75-218-382	Sorvall Legend X1 Centrifuge, 120V	TX-400* Swinging Bucket Rotor, 400 mL Round Buckets, ClickSeal Lids (4) 4x50 mL Conical Adapters (4), 9x15 mL Conical Adapters (4)	Cell Culture
75-618-382	Sorvall Legend X1R Centrifuge, 120V		
75-418-382	Sorvall ST 16R Centrifuge, 120V		
75-818-382	Sorvall ST 16R Centrifuge, 120V		
75-103-839	Sorvall ST 40 Centrifuge, 120V		
75-253-839	Sorvall ST 40R Centrifuge, 120V		
75-063-839	Sorvall Legend XT Centrifuge, 120V		
75-213-839	Sorvall Legend XTR Centrifuge, 120V		
75-333-839	Sorvall Legend XF Centrifuge, 120V		
75-393-839	Sorvall Legend XFR Centrifuge, 120V		
75-067-406	Sorvall Legend XT Centrifuge, 120V	NEW! TX-1000* Swinging Bucket Rotor, 1000 mL Buckets (4), ClickSeal Lids (4) 10x50 mL Conical Adapters (4), 24x15 mL Conical Adapters (4)	Clinical
75-217-406	Sorvall Legend XTR Centrifuge, 120V		
75-410-885	Sorvall ST 16R Centrifuge, 120V	TX-200 Swinging Bucket Rotor, 200 mL Round Buckets (4), ClickSeal Lids (4), 7x15/10 mL, Blood Collection Adapters (4), 8x 5/7 mL Blood Collection Adapters (4)	Clinical
75-810-885	Sorvall ST 16R Centrifuge, 120V		
75-418-180	Sorvall ST 16R Centrifuge, 120V		
75-818-180	Sorvall ST 16R Centrifuge, 120V		
75-101-923	Sorvall ST 40 Centrifuge, 120V		
75-251-923	Sorvall ST 40R Centrifuge, 120V		

Thermo Scientific Sorvall Legend and Sorvall ST General Purpose Centrifuges			
Fisher Scientific Cat. No.	Description	Includes	Package Type
75-177-271	Sorvall ST 40 Centrifuge, 120V	NEW! TX-1000* Swinging Bucket Rotor, 1000 mL Buckets (4), ClickSeal Lids (4), 37x10 mL Blood Collection Adapters (4), 49x5/7 mL Blood Collection Adapters (4)	Clinical
75-277-271	Sorvall ST 40R Centrifuge, 120V		
75-331-771	Sorvall Legend XF Centrifuge, 120V		
75-391-771	Sorvall Legend XFR Centrifuge, 120V		
75-212-452	Sorvall Legend X1 Centrifuge, 120V		
75-612-452	Sorvall Legend X1R Centrifuge, 120V	M-20 Microplate Rotor	Microplate Processing
75-060-817	Sorvall Legend XT Centrifuge, 120V	TX-750* Swinging Bucket Rotor, Carriers for Microplates and T-75 Horizontal Flasks	
75-210-817	Sorvall Legend XTR Centrifuge, 120V		
75-777-303	TX-1000* Microplate Adapters (4)		
75-612-963	Sorvall Legend X1R Centrifuge, 120V	TX-400* Swinging Bucket Rotor, 400 mL Round Buckets (4), Fiberlite F15-8x50c Rotor	High Performance Carbon Fiber Fiberlite Rotors
75-210-062	Sorvall Legend XTR Centrifuge, 120V	TX-750* Swinging Bucket Rotor, 750 mL Round Buckets (4), and Fiberlite F14S-6x250LE Rotor	
75-210-063	Sorvall Legend XTR Centrifuge, 120V	TX-750* Swinging Bucket Rotor, 750 mL Round Buckets (4), and Fiberlite F15-8x50c Rotor	
75-210-061	Sorvall Legend XTR Centrifuge, 120V	TX-750* Swinging Bucket Rotor, 750 mL Round Buckets (4), and Fiberlite F13S-14x50c Rotor	

* Now with Thermo Scientific™ Slide Coat™ anti-friction

▶ Please order with these Fisher Scientific catalog numbers. Rotors, buckets, microplate carriers and adapters ship automatically with order. Purchase a Sorvall general purpose centrifuge package and we will extend the standard warranty for your centrifuge to 5 years! Restrictions apply. Please contact your sales representative for complete warranty offer and coverage details.

Thermo Scientific ARCTIC Refrigerated/Heated Bath Circulators			
Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13265400	12 liter refrigerated/heated bath circulator, 3 languages, -25°C to +100°C	SC100-A25	Insulated plumbing package
13265401	12 liter refrigerated/ heated bath circulator, 3 languages, USB port, -25°C to +150°C	SC150-A25	
13265402	12 liter refrigerated/ heated bath circulator, 5 languages, -25°C to +150°C	AC150-A25	
13265403	12 liter refrigerated/ heated bath circulator, 5 languages, USB port, -25°C to +200°C	AC200-A25	
13265404	12 liter refrigerated/ heated bath circulator, 7 languages, USB port, -25°C to +200°C	PC200-A25	
13265405	12 liter refrigerated/ heated bath circulator, 3 languages, -25°C to +100°C	SC100-A25	Trolley with casters
13265406	12 liter refrigerated/ heated bath circulator, 3 languages, USB port, -25°C to +150°C	SC150-A25	
13265407	12 liter refrigerated/ heated bath circulator, 5 languages, -25°C to +150°C	AC150-A25	
13265408	12 liter refrigerated/ heated bath circulator, 5 languages, USB port, -25°C to +200°C	AC200-A25	
13265409	12 liter refrigerated/ heated bath circulator, 7 languages, USB port, -25°C to +200°C	PC200-A25	

▶ Please order using these Fisher Scientific catalog numbers to receive your insulated plumbing package or trolley with casters.

Thermo Scientific FH100 and FH100D Peristaltic Pump Systems			
Fisher Scientific Cat. No.	Description	Thermo Scientific Model No.	Includes
13311100	FH100 peristaltic pump system	72-320-000	Dispensing Handle
13311101	FH100D peristaltic pump system	72-320-200	
▶ Please order using these Fisher Scientific catalog numbers. Dispensing handle will ship automatically with order.			

Thermo Scientific Nalgene Cryogenic Tubes		
Fisher Scientific Cat. No.	Description	Includes
033377C	Cryogenic Tube, Sterile PP, 1.2 mL, 25 pk/500 case	1 case of Nalgene Cryogenic tubes
033377D	Cryogenic Tube, Sterile PP, 2.0 mL, 25 pk/500 case	
033377H	Cryogenic Tube, Sterile PP, 5.0 mL, 10 pack/250 case	
033377X	System 100 Cryogenic Tube, Sterile PP, 1.0 mL, 25 pack/500 case	
033377Y	System 100 Cryogenic Tube, Sterile PP, 1.5 mL, 25 pack/500 case	
03390110	Cryogenic Tube with Barcode, Sterile PP, 1.2 mL, 25 pack/500 case	
03390111	Cryogenic Tube with Barcode, Sterile PP, 2.0 mL, 25 pack/500 case	
03390112	Cryogenic Tube with Barcode, Sterile PP, 5.0 mL, 10 pack/250 case	
03390113	System 100 Cryogenic Tube with Barcode, Sterile PP, 1.5 mL, 25 pack/500 case	
033377N	Cryogenic Tube, Non-sterile PP, 1.2 mL, Non-printed, Bulk pack, 1000 case	
033377P	Cryogenic Tube, Non-sterile PP, 2.0 mL, Non-printed, Bulk pack, 1000 case	
033377V	Cryogenic Tube, Sterile PP, 1.2 mL, Bulk pack, 1000 case	
033377W	Cryogenic Tube, Sterile PP, 2.0 mL, Bulk pack, 1000 case	

▶ Please order using these special Fisher Scientific catalog numbers. Purchase order will be provided at time of order. To redeem your case of cryogenic tubes, please visit www.thermoscientific.com/fisheroffers

Thermo Scientific Nalgene Cryogenic Tubes		
Fisher Scientific Cat. No.	Description	Includes
12565026	96-Well Edge Plate, Polystyrene, Nunclon Delta treated, Sterile with Lid, Clear	1 case of Nunc Plates
12565028	96-Well Edge Plate, Polystyrene, Non-treated, Sterile with Lid, Clear	
12565355	384-Well Plate, Polystyrene with Optical Bottom Polybase, Non-treated, Non-sterile no Lid, White, 120 µL/well	
12565473	384-Well Plate, Polystyrene with Optical Bottom Polybase, Cell Culture treated, Sterile, no Lid, Black, 120 µL/well	
12565607	96-Well Plate, Polystyrene with Optical Bottom Coverglass, CC2 treated, Sterile with Lid, Black, 400 µL well	
12565902	96-Well Plate, Polystyrene, Poly-D-Lysine treated, Non-sterile with Lid, Black with Clear Bottom, 400 µL/well	
12565903	96-Well Plate, Polystyrene, Poly-D-Lysine treated, Non-sterile with Lid, White with Clear Bottom, 400 µL/well	
12565905	384-Well Plate, Polystyrene, Poly-D-Lysine treated, Non-Sterile with Lid, Black with Clear Bottom 120 µL/well	
12565909	96-Well Plate, Polystyrene, Collagen I treated, Non-sterile with Lid, Black with Clear Bottom, 400 µL/well	
12565910	96-Well Plate, Polystyrene, Collagen I treated, Non-sterile with Lid, White with Clear Bottom, 400 µL/well	
12565912	384-Well Plate, Polystyrene, Collagen I treated, Non-sterile with Lid, Black with Clear Bottom, 120 µL/well	
12566	384-Well Plate, Polystyrene with Optical Bottom Polybase, Cell Culture treated, Sterile with Lid, Black, 120 µL/well	
125661	384-Well Plate, Polystyrene with Optical Bottom Polybase, Cell Culture treated, Sterile with Lid, White, 120 µL/well	
125662	384-Well Plate, Polystyrene with Optical Bottom Polybase, Non-treated, Non-sterile no Lid, Black, 120 µL/well	
12566280	384-Well Plate, Polystyrene with Optical Bottom Coverglass, Cell Culture treated, Sterile with Lid, Black, 120 µL/well	
12566281	384-Well Plate, Polystyrene with Optical Bottom Coverglass, Non-treated, Non-sterile no Lid, Black, 120 µL/well	
1256635	96-Well Plate, Polystyrene with Optical Bottom Coverglass, Cell Culture treated, Sterile with Lid, Black, 200 µL/well	
1256637	96-Well Plate, Polystyrene with Optical Bottom Coverglass, Cell Culture treated, Sterile with Lid, White, 200 µL/well	
1256638	96-Well Plate, Polystyrene with Optical Bottom Coverglass, Non-treated, Non-Sterile no Lid, Black, 400 µL/well	
1256670	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Cell Culture treated, Sterile with Lid, Black, 400 µL/well	
1256671	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Cell Culture treated, Sterile with Lid, White, 400 µL/well	
1256672	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Non-treated, Non-sterile no Lid, Black, 400 µL/well	
1256673	96-Well Plate, Polystyrene with Optical Bottom Polymer Base, Non-treated, Non-sterile no Lid, White, 400 µL/well	

▶ Please order using these special Fisher Scientific catalog numbers. Purchase order will be provided at time of order. To redeem your storage option base stand shelf (Cat No. 13-261-361) or your serological pipet storage (Cat No. 13-715), please visit www.thermoscientific.com/fisheroffers



Buy more lab equipment, earn more lab rewards

Visit fishersci.com/labrewards to see how easy it is to earn points for qualifying Thermo Scientific lab equipment and redeem those points for consumables, small bench equipment and accessories*.

Protecting your investment

To improve your laboratory's efficiency, you should be free to focus on your work, not burdened with managing instrument service. Unity Lab Services provides a complete portfolio of customized, integrated and innovative services and support solutions designed to help you improve productivity, reduce total cost of ownership and ensure compliance throughout your laboratory – from instrument and equipment acquisition to disposition. Let our expertise complement yours. Explore all the new ways to protect your instruments and equipment at unitylabservices.com

[Support Plans](#) | [Parts and Consumables](#) | [Training, and more](#)

Unity Lab Services
Part of Thermo Fisher Scientific

Valid in the United States while supplies last. All promotions valid for orders placed between January 1, 2014 and December 15, 2014. Thermo Scientific Smart-View Wireless Monitoring promotion valid for orders placed between January 1, 2014 and June 1, 2014. Valid only in connection with purchase of promotional packages identified herein using the part numbers listed. Some offers require redemption; please see Ordering Information herein for redemption instructions. All pricing information based on Fisher Scientific's list price. "Savings" or "Discount" indicated in any promotion herein represent the maximum difference between the aggregate manufacturer's suggested retail price of the items contained in the promotional package (if purchased separately) and the manufacturer's suggested retail price for the promotional package. Promotional warranties extend standard limited warranty applicable to eligible products and may require registration by customer. All offers subject to Thermo Fisher standard terms and conditions of sale. Except as specified in the standard limited warranty applicable to products, Thermo Fisher Scientific makes no additional warranties, express or implied. Unless otherwise stated in the Ordering Information, promotional products will be shipped with purchased products. Not valid in connection with any other offer or discount. Void where prohibited by law or company policy. See representative or www.thermoscientific.com/fisheroffers for additional information. Please note that the value of the specific offer(s) the customer may receive from the manufacturer under this program is a "discount or other reduction in price" to the customer under section 1128B(b)(3)(A) of the Social Security Act [42 U.S.C. 1320a-7b (b)(3)(a)]. Accordingly, the customer shall disclose this and any other discounts or other reduction in price received under this program under any state or federal program which provides cost or charge-based reimbursements to the customer for the products or services purchased under this program. By participating in this promotion, you warrant that you are not a "Health Care Practitioner" or "Health Care Professional" as defined in the Code of Massachusetts Regulations, 105 CMR 970, or a "healthcare professional" as defined under 18.V.S.A. §4631, or a healthcare professional as defined under any similar federal, state or local law regulation.

* Lab Rewards for which a particular Qualifying Purchase may be eligible will vary based on the Qualifying Products ordered. Lab Rewards may only be redeemed for specific promotional products ("Promotional Products") and may not be exchanged for any other products and have no cash value. For details on Lab Reward eligibility for each Qualifying Product, a list of Promotional Products, redemption amounts and instructions, and other details, please see www.fishersci.com/labrewards. Purchases made under separate purchase orders may not be combined to increase Lab Reward eligibility; special offer is based on products ordered under single purchase order. No balance of Lab Rewards may be carried and all Lab Rewards awarded with respect to a Qualifying Purchase must be redeemed at the same time. Promotional Products subject to manufacturer's standard terms and conditions of sale. Lab Rewards must be redeemed within 30 days after receipt of Qualifying Purchase, and will not be honored without proof of purchase of serial number. Please allow 30 days for delivery of Promotional Product. Customer represents and warrants that (i) it is not a "Health Care Practitioner" or "Health Care Professional", as defined in the Code of Massachusetts Regulations, 105 CMR 970, or a "healthcare professional" as defined under 18 V.S.A. § 4631, or a healthcare professional as defined under any similar federal, state or local law or regulation; and (ii) Customer will not seek reimbursement under any state or federal healthcare program for the products purchased or redeemed under the Lab Rewards program.

© 2014 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change.



In the United States:

For customer service, call 1-800-766-7000

To fax an order, use 1-800-926-1166

To order online: www.fishersci.com

Thermo
S C I E N T I F I C
Part of Thermo Fisher Scientific